

## INSTALLATION MANUAL

### USB Serial Emulation Driver under Windows 2k/XP

References	: 997/PHILOG/USBSerialEmulationDrv-Win2k/XP	To: Diffusion list
Version	: 1	Document : <input type="checkbox"/> Provisory
Version date	: December 14, 2005	<input checked="" type="checkbox"/> Validated
Amount of pages	: 7	Diffusion : <input checked="" type="checkbox"/> Controlled
Backup file	: MDINS.TI.USBCDCWin2kXP.doc	<input type="checkbox"/> Un-controlled

**DOCUMENT MANAGEMENT PROCESS**

**Revision History**

Version	Date	Commentary/Modifications
1	December 14, 2005	Creation

**Document approvals**

Author	Verification / Review	Approval
L. DAUVERGNE Project Leader	C. CAMPOS Quality Manager	M. BEIGBEDER Technical Manager
		

**TABLE OF CONTENTS**

1. INTRODUCTION..... 4

2. USER INTERFACES ..... 4

3. OPERATIVES SPECIFICATIONS..... 7

    3.1 ENVIRONMENT ..... 7

    3.2 PACKAGING ..... 7

## 1. INTRODUCTION


The aim of this document is to detail the installation of the USB Serial Emulation Driver under the Windows 2000 and XP operating system.

## 2. USER INTERFACES


The following user interfaces will be displayed when the removal hard disk is plugged:



Select "No, not this time" option and click on Next button



Select "Install From a list" option and click on Next button



Specify the location of the driver and then click on Next button.



Click on "Continue Anyway" button.



Click on Finish button and the installation is complete.

### 3. OPERATIVES SPECIFICATIONS

#### 3.1 ENVIRONMENT

The installation should support Windows 2000 Service Pack 3 and later and Windows XP 32 bits Operating systems.

#### 3.2 PACKAGING

The installation package contains the following files:

FILES	COMMENTS
PhSerUsbPort.inf	Inf file for USB Serial Emulation Port device
PhSerUsb.sys	USB Serial Emulation Driver